

080-1930-90


APPLICATION

NEXT ASS'Y	USED ON	VAR


REVISIONS

REV	DESCRIPTION	ECN	DATE	APP'D

TRANSDUCER
(NOT SUPPLIED)




MODEL 081B20
1/4-28 UNF-2A
MOUNTING STUD
(NOT SUPPLIED)



ALSO AVAILABLE:
MODEL 080A54 MAGNETIC
MOUNTING BASE WITH
1/4-28 UNF-2A INTEGRAL
THREAD (NOT SUPPLIED)

MODEL 080A93
ADHESIVE MTG PAD
MAT'L: 17-4 ST STL



- △2 USE ARMSTRONG A-36 A & B RESIN OR EQUIVALENT BETWEEN MOUNTING SURFACE AND PAD.
- △1 FOR BEST RESULTS, MOUNTING SURFACE SHOULD BE FLAT TO WITHIN .001 (.03) TIR OVER $\phi 1.0$ ($\phi 25.4$) WITH A $\frac{250}{200}$ ($\frac{6.3}{5.0}$) FINISH.

UNLESS SPECIFIED TOLERANCES		DRAWN		MFG		PCB PIEZOTRONICS, INC. 3425 WALDEN AVE. DEPEW, NEW YORK 14043 PHONE: (716) 684-0001
DIMENSIONS IN INCHES	DIMENSIONS IN MILLIMETERS (IN PARENTHESIS)	CHK'D		ENGR		
DECIMALS XX ±.01 XXX ±.005 ANGLES ±2 DEGREES	DECIMALS X ±0.3 XX ±0.13 ANGLES ±2 DEGREES	APP'D				
FILLETS AND RADII .003 - .005 (0.07 - 0.13)		TITLE			INSTALLATION DRAWING MODEL 080A93 ADHESIVE MOUNTING PAD	CODE IDENT. NO. 52681 DWG. NO. 080-1930-90
					SCALE: FULL	SHEET 1 OF 1